

Journal of Applied Research on Children: Informing Policy for Children at Risk

Volume 3
Issue 1 *Food Insecurity*

Article 16

2012

Soda Consumption Among Food Insecure Households with Children: A Call to Restructure Food Assistance Policy

Daphne C. Hernandez
Pennsylvania State University, dhernandez26@uh.edu

Follow this and additional works at: <https://digitalcommons.library.tmc.edu/childrenatrisk>

Recommended Citation

Hernandez, Daphne C. (2012) "Soda Consumption Among Food Insecure Households with Children: A Call to Restructure Food Assistance Policy," *Journal of Applied Research on Children: Informing Policy for Children at Risk*: Vol. 3 : Iss. 1 , Article 16.

Available at: <https://digitalcommons.library.tmc.edu/childrenatrisk/vol3/iss1/16>

The *Journal of Applied Research on Children* is brought to you for free and open access by CHILDREN AT RISK at DigitalCommons@The Texas Medical Center. It has a "cc by-nc-nd" Creative Commons license" (Attribution Non-Commercial No Derivatives) For more information, please contact digitalcommons@exch.library.tmc.edu



Food insecurity is the inability to access food because of insufficient money or resources,¹ while obesity is the consequence of over-consuming food. While both concepts may seem paradoxical, these two nutritional problems co-exist.²⁻⁴ Despite the lack of a direct relationship between food insecurity and childhood obesity,^{5,6} the prevalence rates of overweight are high among food insecure households with children.^{5,7} Several studies have suggested that there are additional family and household factors that may be influencing the prevalence rates of childhood overweight and obesity among food insecure households,⁸⁻¹⁰ including dietary quality.¹¹ From a public health perspective, focusing on dietary quality in food insecure households is an important step in reducing the obesity rates among children in these households.

While Dave and Cullen do not examine the association between food insecurity and children's weight status,¹¹ their work highlights the importance of focusing on the dietary intake of households with food insecure children. The main results from Dave and Cullen's work indicate that the nutrient and dietary food group intake between low food secure children and very low food secure children does not differ, contrary to the results of previous work.¹² But the results also highlight a great concern: children are consuming excessive amounts of sugar-sweetened beverages (SSB).

The Supplemental Nutrition Assistance Program (SNAP, formerly known as the Food Stamp Program) is the largest federally-funded food assistance program, with a high percentage of participation among food insecure households with children. As the reauthorization of SNAP approaches in 2012, it is time to reconsider whether SNAP should be restructured to align public funds with public health concerns regarding childhood obesity and obesity-related illnesses. Currently, beneficiaries of SNAP are not allowed to purchase some products that adversely influence their health, such as alcohol and tobacco; however, they may purchase SSB, such as soda. Soda has no nutritional value and has been linked to excessive weight gain¹³⁻¹⁵ as a result of the poor satiating properties of sugar in liquid form.¹⁶ In addition, soda has been associated with obesity-related diseases such as diabetes and heart disease,¹⁷⁻¹⁹ which are more prevalent among low-income individuals compared to higher-income individuals.²⁰⁻²² The relatively inexpensive cost of soda, compared to milk

and juice, makes it fiscally manageable for low-income households to purchase. The sugary taste makes it more palatable than water and has been suggested to alter food preferences among children who consistently consume SSB, resulting in these children finding less sweet food, such as vegetables and fruit, less palatable.¹⁶ Thus, excessive consumption of SSB, such as soda, contributes to poor dietary quality.

Several states, including Minnesota, New York, Texas, and most recently Florida, have requested waivers from Congress or the USDA to prohibit the purchase of soda with SNAP benefits; Florida is currently applying for the waiver, but all requests made by other states have been previously denied. The American Beverage Association, the governing body of the non-alcoholic beverage industry, naturally opposes the idea of banning soda from being purchased with SNAP funds.^{23,24} It is estimated that \$4 billion in SNAP funds is spent every year on soda,²⁵ which equates to a sizable profit for the beverage industry. There is also concern that imposing a ban on soda would stigmatize participants of the SNAP program. However, the greater concern should be the health disparities to which that SNAP-funded consumption of SSB, such as soda, is contributing. The cost of treating heart disease, diabetes, and obesity falls upon taxpayers. It is estimated that Medicaid and Medicare finance half of obesity-related medical costs.²⁶ Prohibiting the purchase of soda with SNAP benefits provides an opportunity to reduce the obesity-related medical costs that are placed on taxpayers each year.

Continuing the use of taxpayer dollars to fund the purchase of soda through SNAP undermines the goal of SNAP. Previous research has indicated that reducing the consumption of SSB may help to reduce excess weight gain,²⁷ obesity,^{27,28} and development of diabetes.^{28,29} Although banning soda from SNAP purchases will not cure the childhood obesity epidemic, placing a restriction on soda, along with the use of other obesity prevention strategies, may help lower the prevalence rates of childhood obesity, benefiting all of society.

References

1. US Department of Agriculture ERS. Food Security in the US: Definitions of Hunger and Food Security. <http://www.ers.usda.gov/Briefing/FoodSecurity/labels.htm#characteristics>. Published September 2007. Accessed January 19, 2012.
2. Eisenmann J, Gundersen C, Lohman BJ, Garasky S, Stewart SD. Is food insecurity related to overweight and obesity in children and adolescents? A summary of studies, 1995–2009. *Obes Rev*. 2011;12(5):e73-e83.
3. Franklin B, Jones A, Love D, Puckett S, Macklin J, White-Means S. Exploring mediators of food insecurity and obesity: A review of recent literature. *J Commun Health*. 2011:epub ahead of print.
4. Larson NI, Story MT. Food insecurity and weight status among US children and families: A review of the literature. *Am J Prev Med*. 2011;40(2):166-173.
5. Casey PH, Simpson PM, Gossett JM, et al. The association of child and household food insecurity with childhood overweight status. *Pediatrics*. 2006;118(5):e1406-e1413.
6. Jyoti D, Frongillo E, Jones S. Food insecurity affects school children's academic performance, weight gain, and social skills. *J Nutr*. 2005;135(12):2831-2839.
7. Rose D, Bodor JN. Household food insecurity and overweight status in young school children: results from the Early Childhood Longitudinal Study. *Pediatrics*. 2006;117(2):464-473.
8. Bronte-Tinkew J, Zaslow M, Capps R, Horowitz A, McNamara M. Food insecurity works through depression, parenting, and infant feeding to influence overweight and health in toddlers. *J Nutr*. 2007;137(9):2160-2165.
9. Lohman BJ, Stewart SD, Gundersen C, Garasky S, Eisenmann JC. Adolescent overweight and obesity: links to food insecurity and individual, maternal, and family stressors. *J Adolescent Health*. 2009;45(3):230-237.
10. McCurdy K, Gorman KS, Metallinos Katsaras E. From poverty to food insecurity and child overweight: a family stress approach. *Child Dev Perspect*. 2010;4(2):144-151.
11. Rutten LJF, Yaroch AL, Colón-Ramos U, Johnson-Askew W, Story M. Poverty, food insecurity, and obesity: a conceptual framework for research, practice, and policy. *J Hunger Environ Nutr*. 2010;5(4):403-415.

12. Kaiser LL, Melgar-Quinonez H, Townsend MS, et al. Food insecurity and food supplies in Latino households with young children. *J Nutr Educ Behav.* 2003;35(3):148-153.
13. Malik VS, Willett WC, Hu FB. Sugar-sweetened beverages and BMI in children and adolescents: Reanalyses of a meta-analysis. *Am J Clin Nutr.* 2009;89(1):438-439.
14. Ludwig DS, Peterson KE, Gortmaker SL. Relation between consumption of sugar-sweetened drinks and childhood obesity: A prospective, observational analysis. *Lancet.* 2001;357(9255):505-508.
15. Schulze MB, Manson JAE, Ludwig DS, et al. Sugar-sweetened beverages, weight gain, and incidence of type 2 diabetes in young and middle-aged women. *JAMA.* 2004;292(8):927-934.
16. Brownell KD, Farley T, Willett WC, et al. The public health and economic benefits of taxing sugar-sweetened beverages. *N Engl J Med.* 2009;361(16):1599-1605.
17. Fung TT, Malik V, Rexrode KM, Manson JAE, Willett WC, Hu FB. Sweetened beverage consumption and risk of coronary heart disease in women. *Am J Clin Nutr.* 2009;89(4):1037-1042.
18. Montonen J, Jarvinen R, Knekt P, Heliovaara M, Reunanen A. Consumption of sweetened beverages and intakes of fructose and glucose predict type 2 diabetes occurrence. *J Nutr.* 2007;137(6):1447-1454.
19. Palmer JR, Boggs DA, Krishnan S, Hu FB, Singer M, Rosenberg L. Sugar-sweetened beverages and incidence of type 2 diabetes mellitus in African American women. *Arch Intern Med.* 2008;168(14):1487-1492.
20. James WPT, Nelson M, Ralph A, Leather S. Socioeconomic determinants of health: the contribution of nutrition to inequalities in health. *BMJ.* 1997;314(7093):1545-1549.
21. Mensah GA, Mokdad AH, Ford ES, Greenlund KJ, Croft JB. State of disparities in cardiovascular health in the United States. *Circulation.* 2005;111(10):1233-1241.
22. Peek ME, Cargill A, Huang ES. Diabetes health disparities. *Med Care Res Rev.* 2007;64(5 suppl):101S-156S.
23. American Beverage Association. Government Knows Best? <http://www.ameribev.org/blog/2010/10/government-knows-best/>. Published October 7, 2010. Accessed February 5, 2012.
24. Baertlein L, Levine D. Soda makers fight back against public obesity campaigns. The Huffington Post. <http://www.huffingtonpost.com/2011/07/20/soda-makers->

- obesity_n_904651.html. Published September 19, 2011. Accessed February 5, 2012.
25. Shenkin JD, Jacobson MF. Using the Food Stamp Program and other methods to promote healthy diets for low-income consumers. *Am J Public Health*. 2010;100(9):1562-1564.
 26. Finkelstein EA, Fiebelkorn IC, Wang G. National medical spending attributable to overweight and obesity: how much, and who's paying? *Health Affair*. 2003;22(3; SUPP):219-226.
 27. Malik VS, Schulze MB, Hu FB. Intake of sugar-sweetened beverages and weight gain: a systematic review. *Am J Clin Nutr*. 2006;84(2):274-288.
 28. Hu FB, Malik VS. Sugar-sweetened beverages and risk of obesity and type 2 diabetes: epidemiologic evidence. *Physiol Behav*. 2010;100(1):47-54.
 29. Malik VS, Popkin BM, Bray GA, Despres JP, Willett WC, Hu FB. Sugar-sweetened beverages and risk of metabolic syndrome and type 2 diabetes: a meta-analysis. *Diabetes Care*. 2010;33(11):2477-2483.